

















"NUMBER ONE" Choice of Garment Manufacturers and Dry Cleaners Everywhere.

With 33 years of experience, we specialize in manufacturing steam irons that have been sold all over the world. Researched and developed in the lab, the state of the art iron selections are born from the hands of our experts in their best efforts. One of Sewoong's primary marketing strategies is 100% consumer-satisfaction guarantee. We enthusiastically believe that our customers are the main reason who have brought us here today. We will always continue our journey to explore the development and aggregation of the best technology in the iron industry.

With 33 years PEN GUIN








www.sewoong.co.kr



PEN520 (Medium size)



Steam hole: 10 holes

THERMOSTAT



Durable & High quality thermostat. Iron is completed with thermal fuse for the safety from the fire.

MICRO SWITH



Designed for proper steam to be out by slight push of thumb and durable.

POWER SWITCH



Easy to change and the power lamp showing on & off at work with perfect durability.

Specification / 규 격


Weight: 2.1 Kgs / Size: 115×205 mm / Volts: AC 110V / 220V / Watts: 1000W / Sole plate: Hard Anodized Aluminum / Mode: Gravity Feed Type

Handle: Urethan(Soft meterial) / Used for: middle and final process

무 게 : 2.1 Kgs / 바닥판크기 : 115×205 mm / 볼 트 : AC 110V / 220V / 와 트 : 1000W / 본체재질 : Hard-Anodizing 피막코팅 알루미늄 / 방 식 : 적하식 물통 스팀 다리미 / 손잡이 : 우레탄(연질)

용도: 봉제 중간공정 및 수선 다림질용

PEN550 (Large size)



Steam hole: 30 holes

MICRO SWITH



Designed for proper steam to be out by slight push of thumb and durable.

THERMOSTAT



Durable & High quality thermostat. Iron is completed with thermal fuse for the safety from the fire,

POWER SWITCH



Easy to change and the power lamp showing on & off at work with perfect durability.

Specification / 규 격

Weight: 2.6 Kgs / Size: 137×205 mm / Volts: AC 110V / 220V / Watts: 1300W / Sole plate: Hard Anodized Aluminum / Mode: Gravity Feed Type / Handle: Urethan(Soft meterial)

Used for: Finishing


무게 : $2.6 \, \mathrm{Kgs}$ / 바닥판크기 : $137 \times 205 \, \mathrm{mm}$ / 볼 트 : AC $110 \mathrm{V}$ / $220 \mathrm{V}$ / 와 트 : $1300 \mathrm{W}$ / 본체 재질 : Hard-Anodizing 피막코팅 알루미늄 / 방 식 : 적하식 물통 스팀다리미 / 손잡이 : 우레탄(연질)

용도: 완성 및 수선 마무리용

ALL STEAM IRON



SP620 (Finishing - Push type)



Steam hole: 40 holes

Exhast Valve Ass'y



Adjustable ventury valve draws any condensate that may form assuring 100% dry steam and no water spots.

Push Valve Ass'y



DURABLE & LONG LIFE steam valve is virtually maintenance free.

Lever Band Ass'y




Iron has a adjustable bolt on the steam valve which can adjust the steam quantities.

Specification / 규 격

Weight: 1.6 Kgs / Size: 142×200 mm / Sole plate: Stainless steel / Cover: Engineering Plastics / Steam Valve: Push Type / Handle: Urethan(soft meterial) / Used for: Finishing 무게: 1.6 Kgs / 바닥판 크기: 142×200 mm / 본체 재질: 스테인레스 / 커 버: 엔지니어링 플라스틱 / 스텀밸브: 누름방식 / 손잡이: 우레탄(연질) / 용 도: 중간 및 마무리 공정용

SP420N (Utility iron)



Steam hole: 15 holes

Exhast Valve Ass'y



Adjustable ventury valve draws any condensate that may form assuring 100% dry steam and no water spots,

Push Valve Ass'y



DURABLE & LONG LIFE steam valve is virtually maintenance free.

Lever Holder Ass'y



Iron has a adjustable bolt on the steam valve which can adjust the steam quantities.

Specification / 규 격

Weight: 1.3 Kgs / Size: 100×202 mm / Sole plate: Stainless steel / Cover: Engineering Plastics / Steam Valve: Push Type / Handle: Urethan(soft meterial)

Used for : Middle / Final process

무 게 : 1.3 Kgs / 바닥판 크기 : 100×202 mm / 본체 재질 : 스테인레스 / 커 버 : 엔지니어링 플라스틱 / 스팀밸브 : 누름방식 / 손잡이 : 우레탄(연질) / 용 도 : 중간 및 마무리 공정용

ALL STEAM IRON





SP650

ALL STEAM IRON

순증식 보일러 스팀 다리미 (Finishing - Swing type)



SP320


ALL STEAM IRON

순증식 보일러 스팀 다리미

(Seam opening iron)



SP650 (Finishing - Swing type)



Steam hole: 40 holes

Exhast Valve Ass'y



Adjustable ventury valve draws any condensate that may form assuring 100% dry steam and no water spots.

Swing Lever Ass'y



The lightest touch of swing lever releases a flow of dry steam.

Swing Valve Ass'y



The long-life steam valve is virtually maintenance-free.

Specification / 규 격

Weight: 1.7 Kgs / Size: 142×200 mm / Sole plate: Stainless steel / Cover: Engineering Plastics / Steam Valve: Swing Type / Handle: Urethan(soft meterial) / Used for: Finishing 무 게 : 1,7 Kgs / 바닥판 크기 : 142×200 mm / 본체 재질 : 스테인레스 / 커 버 : 엔지니어링 플라스틱 / 스팀밸브 : 스윙방식 / 손잡이 : 우레탄(연질) / 용 도 : 마무리 공정용

SP320 (Seam opening iron)

----- 184mm -

Steam hole: 11 holes

Push Valve Ass'y



DURABLE & LONG LIFE steam valve is virtually maintenance free.

Exhast Valve Ass'y



Adjustable ventury valve draws any condensate that may form assuring 100% dry steam and no water spots.

Lever Band Ass'y



Iron has a adjustable bolt on the steam valve which can adjust the steam quantities.

Specification / 규 격

Weight: 1Kgs / Size: 184×59 mm / Sole plate: Stainless steel / Steam Valve: Push Type / Handle: Urethan(soft meterial) / Used for: Seam Opening 무 게: 1Kgs / 바닥판 크기: 184×59 mm / 본체 재질: 스테인레스 / 스팀밸브: 누름방식 / 손잡이: 우레탄(연질) / 용 도: 솔기 가름용

STEAM ELECTRIC IRON





PEN3500

STEAM ELECTRIC IRON

전증식 보일러 스팀 다리미 (Finishing iron - Large size)



SP2000


STEAM ELECTRIC IRON

전증식 보일러 스팀 다리미 (Utility iron - Medium size)



PEN3500 (Finishing iron - Large size) Powerful steam. No spotting

Powerful steam, No spotting water!



Steam hole: 67 holes

THERMOSTAT



LONG LIFE & UL approved thermostat

THERMAL FUSE for the safety from the fire.

MICRO SWITCH



Thumb switch is designed for proper steam to be out by slight push of thumb and durable.

Temperature controller



Main switch & Thermostat knob

Specification / 규 격


Weight: 2.6 Kgs / Size: 115×205 mm / Volts: AC 110V / 220V / Watts: 1200W / Sole plate: Hard Anodized Aluminum / Mode: Steam electric iron

Handle: Urethan(Soft meterial) / Used for: Finishing

무 게 : 2.6 Kgs / 바닥판크기 : 115×205 mm / 볼 트 : AC 110V / 220V / 와 트 : 1200W / 본체재질 : Hard Anodizing 피막코팅 알루미늄 / 방 식 : 전증식 스팀 다리미 / 손잡이 : 우레탄(연질)

용도: 완성및 수선 마무리용

SP2000 (Utility iron - Medium size) Light and powerful steam!



Steam hole: 25 holes

THERMOSTAT



SUPERIOR SNAP-ACTION THERMOSTAT for precise steam control

THERMAL FUSE



Completed with thermal fuse for the safety from fire (CE approval thermal fuse)

MICRO SWITH



Thumb switch is designed for proper steam to be out by slight push of thumb

Specification / 규 격

Weight: 1.3 Kgs / Size: 106×187 mm / Volts: AC 110V / 220V / Watts: 800W / Sole plate: Aluminum / Mode: Steam electric iron

Handle: Cork handle / Used for: middle and final process

무 게 : 1,3 Kgs / 바닥판크기 : 106×187 mm / 볼 트 : AC 110V / 220V / 와 트 : 800W / 본체재질 : 알루미늄 / 방 식 : 전증식 스팀 다리미 / 손잡이 : 코르크핸들

용도: 중간 공정 및 완성 공정용

SWEATER - ALL STEAM IRON





Steam hole 80S 115 holes / 84S 54 holes

Swing Lever & Swing Valve Ass'y



The lightest touch of swing lever releases a flow of dry steam.

Exhaust Valve Ass'y



Adjustable venturi valve draws any condensate that may form assuring 100% dry steam and no water spots

Swing Valve Ass'y



The long-life
steam valve is virtually
maintenance-free.

Specification / 규 격

Weight: 2,3 Kgs / 2,7 Kgs / Size: 170×233 mm / Sole plate: Stainless steel / Steam Valve: Swing Type / Handle: Wooden(log) 무 게: 2,3 Kgs / 2,7 Kgs / 바닥판 크기: 170×233 mm / 본체 재질: 스테인레스 / 스템밸브: 스윙방식 / 손잡이: 나무(원목) / 용 도: 마무리 공정용

Teflon Steam Hoses



3-FOLDS, SKY-BLUE COLOR, "J" TYPE TEFLON STEAM HOSE (COMPLETED WITH 2 EXTRA FITTINGS)

4-FOLDS, DARK BLUE COLOR, "J" TYPE TEFLON STEAM HOSE (COMPLETED WITH 2 EXTRA FITTINGS)

3-FOLDS, GREEN COLOR, "T" TYPE TEFLON STEAM HOSE (COMPLETED WITH 4 EXTRA FITTINGS)

OPTIONS



Abrasive belts for Cutting Machine (Eastman & KM)





Iron steam traps

ELECTRIC STEAMER

Powerful and quick steam within 1min. 30 seconds! Easy to use for all kinds of clothes!

1분30초만에 빠르고 강력한 스팀 발생! 모든 종류의 의류를 손쉽고 간편하게 다림질!

















ELECTRIC STEAMER

전기 주름펴기

COCOON C1

Specification / 규 격

Model: COCOON C1 / Volts: 120V / 220V / Watts: Pre Heat: 200W / Steam: 1,350W / Weight: Approx. 7.6 kgs

모델 : COCOON C1 / 전압 : 120V / 220V / 전력 : 대기시 : 200W / 스팀시 : 1,350W / 무게 : Approx. 7.6 kgs

powerful & quickly



Cocoon's unique powerful steam spraying irons out the wrinkles easily and quickly.

Waiting Mode



When stop using temporarily, turn off the steam switch only to restart easily and quickly.

LARGEST WATER TANK



Cocoon Steamer's large tank(5ℓ) requires no frequent water supply as it boasts the largest water tank in Korea.

Strong hanger pole



Aluminum wrinkle pipe - hanger pole make a strong.

Quick and powerful steam



Within 1min. 30 seconds, Powerful and quick steam.

Durable urethan caster



Completed with the durable urethane caster. (Not plastic caster).
No sound and durable.

Sterilizing



Sterilizing with doll for children

Sterilizing



Sterilizing with toys for Children

Lighting power switch



Power and steam switches are with lamp to show the working.





1522-7, NAMGA-RO, SUDONG-MYEUN, NAMYANGJU-SI, GYEONGGI-DO, 472-852, KOREA 경기도 남양주시 수동면 남가로 1522-7 우472-852 Call: +82(031)559-5355 / Fax: +82(031)559-5359

e-mail: info@sewoong.co.kr

MADE IN KOREA